Contract Plans

Issued for

Bidding

Date Issued

January 15, 2019

City of Burlington Parks, Recreation & Waterfront

64 Pine Street Burlington, Vermont



Burlington Greenway Rehabilitation

Phase 2 Pause Places Leddy Park & Beach Access

| Sheet | Index | |
|---------|---|----------------------|
| No. | Drawing Title | Latest Issue |
| LA-0.00 | General Notes and Abbreviations | January 15, 2019 |
| LA-0.01 | Overall Existing Conditions/Demolition Plan - Leddy P | ark January 15, 2019 |
| LA-0.02 | Existing Conditions / Demolition Plan - Leddy Park | January 15, 2019 |
| LA-0.03 | Existing Conditions / Demolition Plan - Leddy Park | January 15, 2019 |
| LA-1.00 | Overall Layout Plan - Leddy Park | January 15, 2019 |
| LA-1.01 | Layout Plan - Leddy Park | January 15, 2019 |
| LA-1.02 | Layout Plan - Leddy Park | January 15, 2019 |
| LA-1.03 | Layout Plan - Leddy Park | January 15, 2019 |
| LA-2.00 | Overall Grading Plan - Leddy Park | January 15, 2019 |
| LA-2.01 | Grading Plan - Leddy Park | January 15, 2019 |
| LA-2.02 | Grading Plan - Leddy Park | January 15, 2019 |
| LA-2.03 | Grading Plan - Leddy Park | January 15, 2019 |
| LA-3.00 | Landscape Details | January 15, 2019 |
| LA-3.01 | Landscape Details | January 15, 2019 |
| LA-3.02 | Landscape Details | January 15, 2019 |
| LA-4.00 | Planting Plan - Leddy Park | January 15, 2019 |
| LA-4.01 | Planting Details | January 15, 2019 |
| LA-5.00 | Lighting Plan | January 15, 2019 |
| LA-5.01 | Lighting Details | January 15, 2019 |
| | | |

| Sheet Index | | |
|-------------|--------------------------------|------------------|
| No. | Drawing Title | Latest Issue |
| C-1.00 | Overall EPSC Plan - Leddy Park | January 15, 2019 |
| C-1.01 | EPSC Plan - Leddy Park | January 15, 2019 |
| C-1.02 | EPSC Plan - Leddy Park | January 15, 2019 |
| C-1.03 | EPSC Plan - Leddy Park | January 15, 2019 |
| C-1.04 | EPSC Plan - Leddy Park | January 15, 2019 |
| C-2.00 | EPSC - Details | January 15, 2019 |

Sheet Index - Burlington DPW Design Drawings

| No. | Drawing Title | Latest Issue |
|---------|--|--------------------|
| Sheet 1 | Leddy Park Arena Project Overview | September 25, 2018 |
| Sheet 2 | Leddy Park Arena Project Overview | August 14, 2018 |
| Sheet 3 | Leddy Park Arena Typical Cross Section | October 10, 2018 |
| Sheet 4 | Leddy Park Arena Typical Cross Section | August 14, 2018 |
| Sheet 5 | Leddy Park Arena Typical Cross Section | August 15, 2018 |
| Sheet 6 | Leddy Park Arena Sidewalk Grades | August 28, 2018 |

CONSTRUCTION IS TO BE CARRIED ON IN ACCORDANCE WITH THESE PLANS AND THE VTRANS STANDARD SPECIFICATIONS FOR CONSTRUCTION DATED 2011, INCLUDING ALL SUBSEQUENT REVISIONS AND SUCH REVISED SPECIFICATIONS AND SPECIAL PROVISIONS AS ARE INCORPORATED IN THESE PLANS, UNLESS NOTED OTHERWISE.



802.497.6100

General Notes

- 1. ALL CONTRACTORS ARE REQUIRED TO CONTACT DIG SAFE, THE MUNICIPALITIES PUBLIC WORKS DEPARTMENT, AND ANY OTHER PUBLIC OR PRIVATE AGENCIES NECESSARY FOR UTILITY LOCATION PRIOR TO ANY CONSTRUCTION.
- 2. UNDERGROUND UTILITIES MAY EXIST THROUGHOUT THE PROJECT SITE AND MUST BE LOCATED PRIOR TO CONSTRUCTION. WHERE UNDERGROUND UTILITIES EXIST, FIELD ADJUSTMENT MUST BE APPROVED BY A REPRESENTATIVE OF THE OWNER PRIOR TO INSTALLATION. NEITHER THE OWNER NOR THE LANDSCAPE ARCHITECT ASSUMES ANY RESPONSIBILITY WHATSOEVER, IN RESPECT TO THE CONTRACTORS ACCURACY IN LOCATING THE INDICATED ELEMENTS ON THE DRAWINGS.
- 3. THE LANDSCAPE ARCHITECT AND CONSULTANTS DO NOT WARRANT OR GUARANTEE THE ACCURACY AND COMPLETENESS OF THE WORK PRODUCT THEREIN BEYOND A REASONABLE DILIGENCE. IF ANY MISTAKES, OMISSIONS, OR DISCREPANCIES ARE FOUND TO EXIST WITH THE WORK PRODUCT, THE LANDSCAPE ARCHITECT SHALL BE PROMPTLY NOTIFIED SO THAT THEY MAY HAVE THE OPPORTUNITY TO TAKE ANY STEPS NECESSARY TO RESOLVE THE ISSUE. FAILURE TO PROMPTLY NOTIFY THE OWNER AND THE LANDSCAPE ARCHITECT OF SUCH CONDITIONS SHALL ABSOLVE THEM FROM ANY RESPONSIBILITY FOR THE CONSEQUENCES OF SUCH FAILURE. ACTIONS TAKEN WITHOUT THE KNOWLEDGE AND CONSENT OF THE OWNER AND THE LANDSCAPE ARCHITECT, OR IN CONTRADICTION TO THE OWNER AND THE LANDSCAPE ARCHITECTS WORK PRODUCT OR RECOMMENDATIONS, SHALL BECOME THE RESPONSIBILITY NOT OF THE OWNER AND THE LANDSCAPE ARCHITECT BUT FOR THE PARTIES RESPONSIBLE FOR THE TAKING OF SUCH ACTION.
- 4. THE CONTRACTOR SHALL NOTIFY THE OWNER'S REPRESENTATIVE AND LANDSCAPE ARCHITECT OF ANY DISCREPANCIES AS SOON AS THEY ARE DISCOVERED AND PRIOR TO ANY ACTION BY THE CONTRACTOR.

Tree Protection

- 1. EXISTING TREES TO REMAIN SHALL BE PROTECTED WITH TEMPORARY CONSTRUCTION FENCE. ERECT FENCE AT EDGE OF THE TREE DRIPLINE PRIOR TO START OF CONSTRUCTION.
- 2. CONTRACTOR SHALL NOT OPERATE VEHICLES WITHIN THE TREE PROTECTION AREA. CONTRACTOR SHALL NOT STORE VEHICLES OR MATERIALS, OR DISPOSE OF ANY WASTE MATERIALS, WITHIN THE TREE PROTECTION AREA.
- 3. DAMAGE TO EXISTING TREES CAUSED BY THE CONTRACTOR SHALL BE REPAIRED BY A CERTIFIED ARBORIST AT THE CONTRACTOR'S EXPENSE.

Layout Notes

1. IT SHALL BE THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO CHECK WITH WITH LANDSCAPE ARCHITECTURAL DRAWINGS BEFORE INSTALLATION OF CONSULTANT WORK. ANY WORK INSTALLED IN CONFLICT WITH ANY OF THE DRAWINGS SHALL BE CORRECTED AT NO EXPENSE OF THE OWNER OR DESIGN CONSULTANTS.

2. ALL SYMBOLS, ABBREVIATIONS AND MATERIAL INDICATIONS ARE CONSIDERED TO BE CONSTRUCTION STANDARDS. IF THE CONTRACTOR HAS QUESTIONS REGARDING THEIR EXACT MEANING, THE CONTRACTOR SHALL REQUEST THAT THE LANDSCAPE ARCHITECT ISSUE A CLARIFICATION.

- 3. DO NOT SCALE DRAWINGS. DIMENSIONS MISSING FROM PLANS OR NEEDED FOR EXECUTION OF THE WORK SHALL BE CLARIFIED OR PROVIDED BY THE LANDSCAPE ARCHITECT BEFORE THE WORK IS INSTALLED.
 - a. ALL DIMENSIONS ARE TO FACE OF FINISH MATERIAL, UNLESS OTHERWISE NOTED.
 b. TAKE ALL DIMENSIONS PERPENDICULAR TO ANY REFERENCE LINE, WORK LINE,
 - CENTERLINE, OR FACE OF BUILDING/STRUCTURE.

 c. ALL DIMENSIONS CALLED OUT AS "EQUAL" ARE CONSIDERED EQUIDISTANT MEASUREMENTS.
- 4. REFERENCE TO NORTH IS TRUE NORTH.
- 5. REFERENCE TO SCALE IS FOR FULL SIZED DRAWINGS, NOT REDUCED PLANS. DO NOT SCALE FROM DRAWINGS.

6. ANY CONFLICTS IN WHICH THE METHODS OR STANDARDS OF INSTALLATION OR MATERIALS SPECIFIED DO NOT EQUAL OR EXCEED THE REQUIREMENTS OF THE LAWS OR ORDINANCES GOVERNING THE PROJECT, THE LAWS AND ORDINANCES SHALL TAKE PRECEDENCE. NOTIFY THE LANDSCAPE ARCHITECT OF ALL CONFLICTS.

- 7. THE CONTRACTOR SHALL VERIFY THE EXISTING CONDITIONS AND NOTIFY THE LANDSCAPE ARCHITECT OF ANY CONDITIONS VARYING FROM INFORMATION HEREIN PRIOR TO PROCEEDING WITH WORK.
- 8. TO ESTABLISH LANDSCAPE ARCHITECTURAL INTENT, EVERY ATTEMPT HAS BEEN MADE TO IDENTIFY MOST CONDITIONS


Planting Notes

- 1. ALL PROPOSED PLANTING LOCATIONS SHALL BE STAKED AS SHOWN ON THE PLANS FOR FIELD REVIEW AND APPROVAL BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
- CONTRACTOR SHALL VERIFY LOCATIONS OF ALL BELOW GRADE AND ABOVE GROUND UTILITIES AND NOTIFY OWNERS REPRESENTATIVE OF CONFLICTS.
- 3. NO PLANT MATERIALS SHALL BE INSTALLED UNTIL ALL GRADING AND CONSTRUCTION HAS BEEN COMPLETED IN THE IMMEDIATE AREA. CONTRACTOR SHALL NOTIFY OWNER'S REPRESENTATIVE OF ANY CONFLICT.
- 4. A 3-INCH DEEP MULCH PER SPECIFICATION SHALL BE INSTALLED UNDER ALL TREES AND SHRUBS, AND IN ALL PLANTING BEDS, UNLESS OTHERWISE INDICATED ON THE PLANS, OR AS DIRECTED BY OWNER'S REPRESENTATIVE.
- 5. ALL TREES SHALL BE BALLED AND BURLAPPED, UNLESS OTHERWISE NOTED IN THE DRAWINGS OR SPECIFICATION, OR APPROVED BY THE OWNER'S REPRESENTATIVE.
- 6. FINAL QUANTITY FOR EACH PLANT TYPE SHALL BE AS GRAPHICALLY SHOWN ON THE PLAN. THIS NUMBER SHALL TAKE PRECEDENCE IN CASE OF ANY DISCREPANCY BETWEEN QUANTITIES SHOWN ON THE PLANT LIST AND ON THE PLAN. THE CONTRACTOR SHALL REPORT ANY DISCREPANCIES BETWEEN THE NUMBER OF PLANTS SHOWN ON THE PLANT LIST AND PLANT LABELS PRIOR TO BIDDING.
- 7. ANY PROPOSED PLANT SUBSTITUTIONS MUST BE REVIEWED BY LANDSCAPE ARCHITECT AND APPROVED IN WRITING BY THE OWNER'S REPRESENTATIVE.
- 8. ALL PLANT MATERIALS INSTALLED SHALL MEET THE SPECIFICATIONS OF THE "AMERICAN STANDARDS FOR NURSERY STOCK" BY THE AMERICAN ASSOCIATION OF NURSERYMEN AND CONTRACT DOCUMENTS.
- 9. ALL PLANT MATERIALS SHALL BE GUARANTEED FOR ONE YEAR FOLLOWING DATE OF FINAL ACCEPTANCE.
- 10. AREAS DESIGNATED "LOAM & SEED" SHALL RECEIVE MINIMUM 6" OF LOAM AND SPECIFIED SEED MIX. LAWNS OVER 2:1 SLOPE SHALL BE PROTECTED WITH EROSION CONTROL FABRIC.
- 11. ALL DISTURBED AREAS NOT OTHERWISE NOTED ON CONTRACT DOCUMENTS SHALL BE LOAM AND SEEDED OR MULCHED AS DIRECTED BY OWNER'S REPRESENTATIVE.
- 12. THIS PLAN IS INTENDED FOR PLANTING PURPOSES. REFER TO SITE / CIVIL DRAWINGS FOR ALL OTHER SITE CONSTRUCTION INFORMATION.
- 13. ALL TREE, SHRUB AND PERENNIAL PLANTING BEDS ARE TO BE CONTINUOUS, COMPLETELY DUG OUT AND BACKFILLED WITH THE PROPER PLANTING BED BACKFILL MATERIAL TO DEPTH SPECIFIED IN DETAILS AND SOIL PREPARATION SPECIFICATION.
- 14. IF THE LANDSCAPE CONTRACTOR PROPOSES A SUBSTITUTE PLANT SPECIES, ALL SUBSTITUTES NEED TO BE APPROVED BY THE LANDSCAPE ARCHITECT AND CITY OF SOUTH BURLINGTON IN WRITING PRIOR TO ORDERING.




40 IDX Drive, Building 100 Suite 200 South Burlington, VT 05403

LANDSCAPE ARCHITECTURAL SYMBOLS



DETAIL BUBBLE



SECTION SYMBOL




ELEVATION



NORTH ARROW




ELEVATION NOTATION



SPOT ELEVATION



REVISION BUBBLE



<u>DIMENSION</u>

LANDSCAPE DRAWING ABBREVIATIONS

| AT | HP | HIGH POINT |
|------------------|---|--|
| AREA DRAIN | HT | HEIGHT |
| ALIGN | I.D. | INSIDE DIAMETER |
| ALTERNATE | LP | LOW POINT |
| ASPHALT | MAX | MAXIMUM |
| BOTTOM OF CURB | MFR | MANUFACTURER |
| BUILDING | MIN | MINIMUM |
| BOTTOM OF STEP | NIC | NOT IN CONTRACT |
| BOTTOM OF WALL | O.C. | ON CENTER |
| CATCH BASIN | O.D. | OUTSIDE DIAMETER |
| CONTROL JOINT | QTY | QUANTITY |
| CENTERLINE | R | RADIUS |
| CONCRETE | REINF | REINFORCED |
| CONSTRUCTION | REQ | REQUIRED |
| CONTINUOUS | SPECS | SPECIFICATIONS |
| CENTER | SS | STAINLESS STEEL |
| DIAMETER | STD | STANDARD |
| DIMENSION | TD | TRENCH DRAIN |
| DRAWING | TC | TOP OF CURB |
| EACH | TS | TOP OF STEP |
| EXPANSION JOINT | TW | TOP OF WALL |
| ELEVATION | TYP | TYPICAL |
| EDGE OF PAVEMENT | U.O.N. | UNLESS OTHERWISE NOTED |
| EQUAL | VIF | VERIFY IN FIELD |
| EACH WAY | W/ | WITH |
| FLUSH CURB | W/O | WITHOUT |
| FINISH FLOOR | WWF | WELDED WIRE FABRIC |
| | AREA DRAIN ALIGN ALTERNATE ASPHALT BOTTOM OF CURB BUILDING BOTTOM OF STEP BOTTOM OF WALL CATCH BASIN CONTROL JOINT CENTERLINE CONCRETE CONCRETE CONSTRUCTION CONTINUOUS CENTER DIAMETER DIMENSION DRAWING EACH EXPANSION JOINT ELEVATION EDGE OF PAVEMENT EQUAL EACH WAY FLUSH CURB | AREA DRAIN ALIGN I.D. ALTERNATE ASPHALT BOTTOM OF CURB BUILDING BUILDING BOTTOM OF STEP BOTTOM OF WALL CATCH BASIN CONTROL JOINT CENTERLINE CONCRETE CONSTRUCTION CONTINUOUS CENTER DIAMETER DIMENSION DRAWING EACH EXPANSION JOINT ELEVATION TYP EDGE OF PAVEMENT EACH WAY FLUSH CURB MAX MAX BOTTOM MAX MAX BOTTOM MAX MAX BOTTOM MAX MAX MAX MAX MER MER MER MIN MER MIN MIN MIN MIN MIN MER MIN |

Burlington Greenway Rehabilitation Phase 2 Pause Places

Burlington, Vermont

Bid Set


| No. | Revision | Date | Appv |
|--------|----------|------------|------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Design | ed by | Checked by | |


General Notes


and Abbreviations


IA-000

January 15th, 2019












| igned by | Checked by |
|----------|--------------------|
| LET/MKW | MKW |
| ed for | Date |
| id Set | January 15th, 2019 |

Existing Conditions and Demolition Plan - Leddy Park

LA-0.03







LET/MKW

January 15th, 2019

Overall Layout Plan -**Leddy Park**

LA-1.00








| Checked by MKW |
|-------------------|
| Date |
| January 15th, 201 |
| |



LA-1.02






| No. | Revision | Date | Appvd. |
|-----|----------|------|--------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Designed by | Checked by |
|-------------|--------------------|
| LET/MKW | MKW |
| Issued for | Date |
| Bid Set | January 15th, 2019 |



LA-1.03






| IVENIZIOII | Date | Λþ |
|------------|------|----|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |


| ~ \ | Designed by | Checked by |
|-----|-------------|------------|
| 7 | LET/MKW | MKW |


| d Set | January 15th, 2019 |
|-------|--------------------|
| | |
| | |

Overall Grading Plan -

LA-2.00










ASPHALT PAVING







EXPOSED AGGREGATE CONCRETE WALK

SCALE 1" = 1'-0"











- 1. WHERE UTILITY TRENCHES ARE CONSTRUCTED THROUGH DETENTION BASIN BERMS OR OTHER SUCH SPECIAL SECTIONS, PLACE TRENCH BACKFILL WITH MATERIALS SIMILAR TO THE SPECIAL SECTION REQUIREMENTS.
- 2. USE METALLIC TRACING/WARNING TAPE OVER ALL PIPES. 3. BEDDING TO PROVIDE A FIRM, STABLE, CONTINUOUS, AND UNIFORM
- SUPPORT FOR THE FULL LENGTH OF THE PIPE.
- 4. NO MECHANICAL TAMPERS SHALL BE USED DIRECTLY OVER THE PIPE TO ENSURE PIPE IS NOT DAMAGED
- 5. RIPLEY'S DAM BY E.J. PRESCOTT OR APPROVED EQUAL ANTI SEEP COLLARS SHALL BE INSTALLED PER MANUFACTURE RECOMMENDATION
- 6. CONTRACTOR TO INSTALL REDUCER AS REQUIRED TO CONNECT TO DIFFERENT DIAMETER STORM DRAINS.

STORM DRAIN SCALE N.T.S.






ASPHALT PAVING - BIKE PATH



ISOLATION JOINT @ STRUCTURES



DOWELED EXPANSION JOINT



JOINTS - CONCRETE PAVEMENT

Burlington Greenway Rehabilitation Phase 2 Pause Places Burlington, Vermont

LET/MKW MKW **Bid Set** January 15th, 2019



LA-3.00

58049.00

- CONTRACTOR TO VERIFY LAYOUT, QUANTITY OF RISERS AND TREADS, AND GRADING BASED ON FIELD CONDITIONS.
- 2. STAIRS AND HANDRAILS SHALL COMPLY WITH CURRENT ADA STANDARDS.
- 4. CONTRACTOR IS RESPONSIBLE FOR FINAL LAYOUT AND DESIGN OF ALL STAIRS, PIERS, FOOTINGS, RAILINGS, AND
- 5. CONTRACTOR SHALL SUBMIT SHOP DRAWINGS AND DESIGN CALCULATIONS FOR STAIRS, RAILINGS AND FOOTINGS FOR
- 6. MATERIAL FOR TREADS AND RISERS TO BE: BLACK LOCUST, or KEBONY, or PRESSURE TREATED. CONTRACTOR TO PROVIDE BID ALTERNATE PRICING FOR EACH MATERIAL.
- 7. APPROVED MANUFACTURER IS "THE DOCK DOCTORS", AS DIRECTED BY BPRW, REFER TO SPECIAL PROVISION SPECIFICATION

5/4"x6" WOOD DECKING

SPACED 16" o.c.


2"x10" PRESSURE TREATED JOIST

2"x10" PRESSURE TREATED HEADER



SECTION: METAL STAIRS (BID ALTERNATE)

- 1. ALL FRAMING HARDWARE TO BE GALVANIZED.
- 2. ALL DECKING HARDWARE TO BE STAINLESS STEEL AND USE HIDDEN FASTENERS.
- 3. DECKING MATERIAL TO BE BLACK LOCUST, or KEBONY, or PRESSURE TREATED WOOD. CONTRACTOR TO PROVIDE BID ALTERNATE PRICING FOR EACH MATERIAL.
- 4. CONTRACTOR TO PROVIDE SHOP DRAWINGS OF CONCRETE FOOTING, DECK FRAMING, AND SUPPORTS FOR APPROVAL. 5. CONTRACTOR IS RESPONSIBLE FOR FINAL DESIGN OF ALL WOODEN DECK, PIERS, AND CONNECTIONS. CONTRACTOR
- SHALL SUBMIT SHOP DRAWINGS FOR APPROVAL.
- 6. DECKING SHALL BE CONSTRUCTED FOR A MINIMUM PEDESTRIAN LIVE LOAD, AND SNOW LOAD.





Burlington Greenway Rehabilitation Phase 2 Pause Places

40 IDX Drive, Building 100

South Burlington, VT 05403

Suite 200

Burlington, Vermont

| NO. | Revision | Date | Ap |
|-----|----------|------|----|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| Checked by |
|--------------------|
| MKW |
| Date |
| January 15th, 2019 |
| |



58049.00

BIKE RACK
SCALE 1" = 1'

ASPHALT PATH

MIRAFI 500X FILTER FABRIC

COMPACTED DENSE
GRADED CRUSHED STONE

COMPACTED SUBGRADE

NEW BOULDERS KEYED INTO EXISTING BOULDERS AND STONES


EXISTING BOULDERS

EXISTING BOULDERS


NOTE:
OFFSET ROWS OF BOULDERS 6" HORIZONTALLY FOR EVERY 12" OF VERTICAL


BOULDER RETAINING WALL

SCALE 1/2" = 1'-0"











40 IDX Drive, Building 100

South Burlington, VT 05403

Suite 200

| No. | Revision | Date | , |
|-----|----------|------|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| 2 | Cl. I I I |
|---------------------|--------------------|
| Designed by LET/MKW | Checked by MKW |
| Issued for | Date |
| Bid Set | January 15th, 2019 |



LA-3.02



Designed by LET/MKW **Bid Set** January 15th, 2019

Planting Plan - Leddy Park

Redtwig Dogwood American Cranberrybush

Lady Fern Anne Greenaway Dead Nettle


SPACING 18" o.c. 18" o.c. 18" o.c.

CS

LA-4.00

Suite 200

South Burlington, VT 05403



- PLANT SPACING - PLANT CENTER - PLANT ROW ALL EQUAL OR AS SHOWN ON PLANTING PLAN NUMBER OF PLANTS/SQ. FT. SPACING "D" ROW "A" 5' O.C. 4' O.C. 0.07 41.52" 36" O.C. 31.20" 0.12 30" O.C. 26.00" 24" O.C. 20.76" 1. QUANTITY OF SHRUBS AND SPACING AS NOTED IN PLANTING SCHEDULE. 2. CONTINUOUS PLANTING PITS FILLED WITH PLANTING MIX PER THE DEPTH AS NOTED IN THE SPECIFICATIONS IS REQUIRED. - FINISH GRADE — MULCH, AS SPECIFIED SHRUB ROOTBALL CONTINUOUS PLANTING PIT FILLED WITH PLANTING MIX REFER TO SOIL PREPARATION SEE PLAN SPECIFICATIONS FOR SPACING SUB GRADE

SHRUB PLANTING

[/] SCALE: 1/2" = 1'-0"

PLANT SPACING

PLANT CENTER

PLANT ROW

SEE PLANTING PLAN FOR SPACING AND QUANTITIES


SEE PLANTING LIST FOR PLANT SPACING SET AT ORIGINAL PLANTING DEPTH FINISH GRADE

MULCH AS SPECIFIED

CONTINUOUS PLANTING PIT FILLED WITH PLANTING MIX REFER TO SOIL PREPARATION SPECIFICATIONS

SUB GRADE

C PERENNIAL PLANTING
SCALE: 1/2" = 1'-0"




A. TREE STAKING ALONG ROAD OR WALKS

DIRECTION OF PREVAILING WIND

ALIGN STAKES PARALLEL
W/ DIRECTION OF PREVAILING
WIND. ALL STAKES TO BE
CONSISTENT.

B. TREE STAKING IN OPEN SPACES

EDGE OF WALK OR CURB



C. TREE GUYING

TREE STAKING LAYOUT


NO SCALE p-stake.dwg

ALL PLANTINGS AND BARK MUCH BY OTHERS

Burlington Greenway Rehabilitation Phase 2 Pause Places

Burlington, Vermont

| No. | Revision | Date | Appvd |
|--------|----------|-------------|---------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Design | ed by | Checked by | |
| | | | |
| Issued | for | Date | |
| Bic | l Set | January 15t | h, 2019 |



LA-4.01




LET/MKW January 15th, 2019


Lighting Plan - Leddy Park


LA-5.00




South Burlington, VT 05403









SCALE 1/2" = 1'-0"



Burlington, Vermont

No. Revision Date Appvd.

Designed by Checked by


Issued for Date

Bid Set January 15th, 2019




LA-5.01

Project Number 58049.00



2. THE CONTRACTOR WILL TAKE SPECIAL CARE TO INSURE CONCRETE POLE BASES ARE

3. REFER TO SITE PLAN AND LAYOUT DETAILS FOR PROPER HORIZONTAL LAYOUT OF THE



1. POLE BASE IS TO BE ONE CONTINUOUS POUR.


INSTALLED ABSOLUTELY VERTICAL AND LEVEL.

POLE BASES WITH THE SURROUNDING PAVEMENT SURFACES.

d-24 Flush-footing.dwg

B LIGHT FIXTURE - (Fixture B)

SCALE 1/2" = 1'-0"



Suite 200

South Burlington, VT 05403




Burlington Greenway Rehabilitation Phase 2 Pause Places

Burlington, Vermont

Bid Documents January 15, 2019

Overall Sheeting Plan -**Leddy Park**

C-1.00







Burlington, Vermont

January 15, 2019 **Bid Documents**

EPSC Plan - Leddy Park







Burlington, Vermont

January 15, 2019

Bid Documents

EPSC Plan - Leddy Park

C-1.02







| Designed by | Checked by |
|-------------|------------|
| Designed by | |

| TAS | MKW |
|---------------|------------------|
| Issued for | Date |
| Bid Documents | January 15, 2019 |

EPSC Plan - Leddy Park

C-1.03









Burlington, Vermont

January 15, 2019 **Bid Documents**


EPSC Plan - Leddy Park







Flat to Slope (-0.50%)



Leddy Park Arena Typical Cross section



BURLINGTON
PUBLIC WORKS
ENGINEERING DIV.
645 PINE STREET


DESIGNED
CJL

DRAWN
CJL

CHECKED
XXX

DATE
08/14/2018
SHEET 4 OF 6

Flat to Slope (-0.50%)




Leddy Park Arena Typical Cross section



| | DESIGNED CJL | | |
|----|--------------------|--------------|--|
| , | DRAWN CJL | | |
| /_ | CHECKED XXX | DRAWING NO. | |
| | DATE 08/15/2018 | SHEET 5 OF 6 | |

X-2 to GM-1 (Slope)





| DESIGNED CJL | |
|-------------------|--------------|
| DRAWN CJL | |
| CHECKED XXX | DRAWING NO. |
| DATE 8/28/2018 | SHEET 6 OF 6 |