

CEDAR TEXTURE LAP

THE BOLD LOOK OF CEDAR WITHOUT MANY OF THE WORRIES

- One of the most durable lap siding options on the market today
- 16' length can result in faster installation
- May create fewer seams than traditional 12' siding
- Pre-primed for exceptional paint adhesion
- Self-aligning SmartLock™ option eliminates the need to measure and set lap reveal; eliminating this step in the process is likely to speed up the installation process
- APA-certified lap siding
- Treated engineered wood strand substrate



Cedar Texture

SMOOTH FINISH LAP


SMOOTH APPEARANCE, ADVANCED DURABILITY OF ENGINEERED WOOD

- Holds up in extreme weather, including moisture, hail, freeze/thaw cycles, and up to 200 mph wind gusts
- Treated with the SmartGuard® process for superior protection against the weather, fungal decay and termites
- 16' length can result in faster installation and fewer seams
- Pre-primed for exceptional paint adhesion
- Backed by an industry-leading 5/50-year limited warranty
- APA-certified lap siding
- Treated engineered wood strand substrate




Smooth Finish


38 SERIES CEDAR TEXTURE LAP




76 SERIES CEDAR TEXTURE LAP



76 SERIES SMARTLOCK CEDAR TEXTURE LAP



38 SERIES SMOOTH FINISH LAP



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Cedar Texture Lap	12 ft. (144 in.)(3.7 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	28869	1.5 PSF
	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	25796	1.5 PSF
	16 ft. (192 in.)(4.9 m)	6.84 in. (174 mm)	0.354 in. (9 mm)	40610	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	25797	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	25799	1.5 PSF
76 Series Cedar Texture Lap	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.418 in. (10.6 mm)	25785 (Discontinued)	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.418 in. (10.6 mm)	25786	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (301 mm)	0.418 in. (10.6 mm)	25787	1.5 PSF
76 Series SmartLock Cedar Texture Lap	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.418 in. (10.6 mm)	30317	1.5 PSF

DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series Smooth Finish Lap	16 ft. (192 in.)(4.9 m)	5.84 in. (148 mm)	0.354 in. (9 mm)	41338	1.5 PSF
	16 ft. (192 in.)(4.9 m)	7.84 in. (199 mm)	0.354 in. (9 mm)	41339	1.5 PSF
	16 ft. (192 in.)(4.9 m)	11.84 in. (301 mm)	0.354 in. (9 mm)	41340	1.5 PSF

Specifications: LP® SmartSide® Lap Siding Coverage

Lap Siding	Reveal (size)						
	Area (sq. ft.)	3-7/8" (5")	4-7/8" (6")	5 -7/8" (7")	6 -7/8" (8")	8 1/2" (9-1/2")	10-7/8" (12")
100		20 pcs.	16 pcs.	13 pcs.	11 pcs.	9 pcs.	7 pcs.
200		39 pcs.	31 pcs.	26 pcs.	22 pcs.	18 pcs.	14 pcs.
300		59 pcs.	47 pcs.	39 pcs.	33 pcs.	27 pcs.	21 pcs.
400		78 pcs.	62 pcs.	52 pcs.	44 pcs.	35 pcs.	28 pcs.
500		97 pcs.	77 pcs.	64 pcs.	55 pcs.	44 pcs.	35 pcs.
600		117 pcs.	93 pcs.	77 pcs.	66 pcs.	53 pcs.	42 pcs.
700		136 pcs.	108 pcs.	90 pcs.	77 pcs.	62 pcs.	49 pcs.
800		155 pcs.	124 pcs.	103 pcs.	88 pcs.	71 pcs.	56 pcs.
900		175 pcs.	139 pcs.	115 pcs.	99 pcs.	79 pcs.	63 pcs.
1000		194 pcs.	154 pcs.	128 pcs.	110 pcs.	88 pcs.	69 pcs.
1500		291 pcs.	231 pcs.	192 pcs.	164 pcs.	132 pcs.	104 pcs.
2000		388 pcs.	308 pcs.	256 pcs.	219 pcs.	177 pcs.	138 pcs.
2500		484 pcs.	385 pcs.	320 pcs.	273 pcs.	221 pcs.	173 pcs.
3000		581 pcs.	462 pcs.	383 pcs.	328 pcs.	265 pcs.	207 pcs.
3500		678 pcs.	539 pcs.	447 pcs.	382 pcs.	309 pcs.	242 pcs.
4000		755 pcs.	616 pcs.	511 pcs.	437 pcs.	353 pcs.	276 pcs.
4500		871 pcs.	693 pcs.	575 pcs.	491 pcs.	397 pcs.	311 pcs.
5000		968 pcs.	770 pcs.	639 pcs.	546 pcs.	441 pcs.	345 pcs.

Cedar Texture Shakes	Reveal (size)	
	Area (sq. ft.)	10" (12")
100		34 pcs.
200		67 pcs.
300		100 pcs.
400		134 pcs.
500		167 pcs.
600		200 pcs.
700		234 pcs.
800		267 pcs.
900		300 pcs.
1000		334 pcs.
1500		500 pcs.
2000		667 pcs.
2500		834 pcs.
3000		1000 pcs.
3500		1167 pcs.
4000		1334 pcs.
4500		1500 pcs.
5000		1667 pcs.

49 Cedar texture shakes offer more options for the designer and craftsman. We've included coverage for the two most common applications, 9" and 10" exposures, for your convenience.

Specifications: LP® SmartSide® Shakes


CEDAR TEXTURE SHAKES

THE LUXURIOUS APPEAL OF CEDAR

- The look of traditional cedar with easier maintenance over time
- Staggered edges offer a lively, textured effect
- Can be used on all exterior walls or as a decorative accent
- Shiplap ends for seamless appearance
- Reversible staggered or straight edge offers exceptional design versatility
- Treated engineered wood strand substrate




Staggered



Straight

CEDAR TEXTURE SHAKES



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
Cedar Texture Shakes	4ft. (48.63 in.)(1.2 m)	11.625 in. (295 mm)	0.354 in. (9 mm)	42092	2 PSF

Please contact your local LP SmartSide sales representative for product availability. | Metric units are rounded. | PSF = Pounds Per Square Foot

SMOOTH FINISH TRIM


SMOOTH APPEARANCE, ADVANCED DURABILITY OF ENGINEERED WOOD

- Holds up in extreme weather, including moisture, hail, freeze/thaw cycles, and up to 200 mph wind gusts
- Treated with the SmartGuard® process for superior protection against the weather, fungal decay and termites
- 16' ft length can result in faster installation and fewer seams
- Pre-primed for exceptional paint adhesion
- Backed by an industry-leading 5/50-year limited warranty
- Treated engineered wood strand substrate




Smooth Finish

440 SERIES SMOOTH FINISH TRIM



540 SERIES SMOOTH FINISH TRIM



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
440 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (38 mm)	0.675 in. (17.1 mm)	41640	2 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.675 in. (17.1 mm)	41627	2 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.675 in. (17.1 mm)	41420	2 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.675 in. (17.1 mm)	41422	2 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.675 in. (17.1 mm)	41423	2 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.675 in. (17.1 mm)	41492	2 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.675 in. (17.1 mm)	41490	2 PSF
540 Series Smooth Finish Trim	16 ft. (192 in.)(4.9 m)	1.50 in. (38 mm)	0.970 in. (24.6 mm)	41629	3 PSF
	16 ft. (192 in.)(4.9 m)	2.50 in. (64 mm)	0.970 in. (24.6 mm)	41628	3 PSF
	16 ft. (192 in.)(4.9 m)	3.50 in. (89 mm)	0.970 in. (24.6 mm)	41342	3 PSF
	16 ft. (192 in.)(4.9 m)	5.50 in. (140 mm)	0.970 in. (24.6 mm)	41343	3 PSF
	16 ft. (192 in.)(4.9 m)	7.21 in. (183 mm)	0.970 in. (24.6 mm)	41344	3 PSF
	16 ft. (192 in.)(4.9 m)	9.21 in. (234 mm)	0.970 in. (24.6 mm)	41345	3 PSF
	16 ft. (192 in.)(4.9 m)	11.21 in. (285 mm)	0.970 in. (24.6 mm)	41494	3 PSF

CEDAR TEXTURE SOFFIT

THE FINISHING TOUCH

- The perfect alternative to MDO and plywood soffits
- Cut-to-width eliminates time spent ripping full sheets
- 38 Series engineered for closed soffit applications
- 76 Series and 190 Series are ideal for use as the starter course for roofs with exposed eaves
- Treated engineered wood strand substrate




Cedar Texture


38 SERIES 4' x 8' CEDAR TEXTURE SOFFIT




38 SERIES CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



76 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



76 SERIES CEDAR TEXTURE SOFFIT - CUT-TO-WIDTH



190 SERIES 4' x 8' CEDAR TEXTURE SOFFIT



DESCRIPTION	LENGTH	ACTUAL WIDTH	THICKNESS	PID NUMBER	WEIGHT
38 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.354 in. (9 mm)	25813	-
38 Series Cedar Texture Siding and Soffit Panel No Groove Square Edge	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.354 in. (9 mm)	41044	1.5 PSF
76 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.418 in. (10.6 mm)	25814	-
190 Series 4' x 8' Cedar Texture Soffit	8 ft. (96 in.)(2.4 m)	47.88 in. (1 216 mm)	0.578 in. (14.7 mm)	25816 *	-
38 Series Cedar Texture Soffit - Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (303 mm)	0.354 in. (9 mm)	25805	-
	16 ft. (192 in.)(4.9 m)	15.94 in. (405 mm)	0.354 in. (9 mm)	25806	-
	16 ft. (192 in.)(4.9 m)	23.94 in. (608 mm)	0.354 in. (9 mm)	25807	-
76 Series Cedar Texture Soffit - Cut-to-Width	16 ft. (192 in.)(4.9 m)	11.94 in. (303 mm)	0.418 in. (10.6 mm)	25808 (Discontinued)	-