



RECEIVED Built to perform:
APR 15 2015

DEPARTMENT OF
PLANNING & ZONING

ALL ULTREX[®]
S E R I E S




**BUILT TO
PERFORM.**


Finishes.

Interior Finishes: Comes standard in Stone White.


Exterior Finishes: Stone White, Cashmere, Pebble Gray, Bronze, Evergreen or Ebony. All are AAMA 624-10 verified and fully paintable without affecting the durability.




Stone White
(exterior and interior)




Cashmere
(exterior)




Pebble Gray
(exterior)



Bronze
(exterior)



Evergreen
(exterior)



Ebony
(exterior)


Glazing.

Integrity windows and doors are available in Low E, Low E2, and Low E3 insulated glass with Argon gas for a selection of energy-efficient glazing options.*


Tempered Glass: Is standard on large units and doors, and available on most other units.

Obscure Glass: Obscure glass provides privacy and safety. Secure a modicum of privacy without sacrificing the energy efficiency and light.


Sound Abatement: Variable thickness glass provide enhanced STC and OITC sound abatement performance, while still providing a full selection of glass and divided lite options.



Tempered Glass



Obscure Glass




Variable Thickness Glass

* Argon gas not available in high elevations where capillary tubes are required.

Grilles.

Profiled Grilles-Between-the-Glass:

Available in several popular lite cut options (see page 35) for a classic divided lite look and easy glass cleaning. Available in Stone White interior and Stone White, Pebble Gray, Cashmere, Bronze, Evergreen and Ebony exterior.



Grilles-Between-the-Glass**
shown in Stone White

RECEIVED
APR 15 2015

DEPARTMENT OF
PLANNING & ZONING

Hardware Finishes.

Integrity® window and door hardware is available in five finish options: White, Almond Frost, Brass (PVD), Satin Nickel (PVD) and Oil Rubbed Bronze (PVD).



White



Almond Frost



Brass (PVD)



Satin Nickel
(PVD)



Oil Rubbed Bronze
(PVD)

Handle Collections.

Integrity door handles are available in two distinct hardware collections. Select from either the Cambridge Collection or Northfield Collection to meet your design needs. Available factory keyed and keyed alike options.



Cambridge Collection
shown in Almond Frost



Northfield Collection
shown in Satin Nickel


Accessibility Options.

Opening Control Device: Limits opening to 4", while providing for full egress. ASTM F2090-10 compliant. Available on Casement, Double Hung, Single Hung, and Glider Windows.


32" Handle: Handle provides a 32" net clear opening on Sliding Patio Doors.

Sash Limiter: Permanently limits sash movement for safety and security.

Non-Operable Lock: Renders sash inoperable when security is a paramount concern.




Casement Opening
Control Device



Double Hung/Single Hung
Opening Control Device



32" Handle



Sash Limiter




Non-Operable Lock

** Not available in polygons except direct-glaze rectangles.

Single Hung

DESIGNED FOR BEAUTY. ENGINEERED FOR LIFE.




The All Ultrex® Single Hung comes with a standard aluminum half screen; optional full screen is available.

Sash lock provides a positive detent, reassuring user that the window is either locked or unlocked.

Equal, Cottage, and Reverse Cottage sash provide a variety of looks and sash heights.

There is more than a single reason to like this beauty. The All Ultrex Single Hung offers PG50 performance on a majority of sizes. Innovative tilt latches, robust low profile sash lock, factory-applied installation accessories, and superior delivery combine with Ultrex construction, Low E glass and ENERGY STAR® qualified performance to make the Single Hung a superior product in both looks and performance. Mull with picture units, transoms, Round Tops, other Single Hung or Polygon units to create unique multiple assemblies. Factory mulling, reinforced mulling and field mulling kits are available.

Removable lower sash easily removes with no tools and no strings or cords to detach.



RECEIVED
APR 15 2015

All Hifrex® Series
HUNG

DEPARTMENT OF
PLANNING & ZONING



SECRET

CONFIDENTIAL

CONFIDENTIAL

