


CONSULTANT
 This drawing is the property of MICHAEL L. DUGAN ARCHITECT and is not to be reproduced, copied, or otherwise used without the written consent of MICHAEL L. DUGAN ARCHITECT.

FRONT ELEVATION
 OF BUILDING K
 REAR ELEVATION
 OF BUILDING K




GARDEN STREET APARTMENTS
 21 UNIT BUILDING
 GARDEN STREET
 BURLINGTON VERMONT



REAR ELEVATION
 1/8" = 1'-0"


DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE - 2 VINYL 'SHINGLE' SIDING WITH 6 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
 CORNER TRIM: 1 X 8 FRIEZE TRIM: 1 X 10
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (35 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.35. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE.
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE: POURED-IN-PLACE CONCRETE.



FRONT ELEVATION
 1/8" = 1'-0"

BUILDING K
 FFE= 220.50'




NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR CONSTRUCTION.


FEBRUARY 16, 2015

A-3.0

CONFIDENTIAL
 This drawing is the property of MICHAEL L. DUGAN ARCHITECT and
 shall remain the property of MICHAEL L. DUGAN ARCHITECT
 MICHAEL L. DUGAN ARCHITECT



ON-GRADE ENTRY SIDE ELEVATION
 1/8" = 1'-0"



GARAGE ENTRY SIDE ELEVATION
 1/8" = 1'-0"

BUILDING K
 FFE= 220.50'

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE - 2 VINYL 'SHINGLE' SIDING WITH 6 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
 CORNER TRIM: 1 X 8 FRIEZE TRIM: 1 X 10
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (35 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.35. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE
- 10 SIDING TYPE 3 BRICK VENEER - COMMON BOND. COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE POURED-IN-PLACE CONCRETE

GARAGE ENTRY ELEVATION OF BUILDING K
 ON-GRADE ENTRY ELEVATION OF BUILDING K



GARDEN STREET APARTMENTS
 21 UNIT BUILDING
 GARDEN STREET
 BURLINGTON VERMONT




NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR CONSTRUCTION.

FEBRUARY 16, 2015


A-3.1

CONFIDENTIAL
 This drawing is the property of MICHAEL L. DUGAN ARCHITECT, P.C. and is not to be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of MICHAEL L. DUGAN ARCHITECT.



REAR ELEVATION
 1/8" = 1'-0"

FRONT ELEVATION OF BUILDING I
 REAR ELEVATION OF BUILDING I



FRONT ELEVATION
 1/8" = 1'-0"

BUILDING I
 FFE= 220.50'

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 1 SIDING TYPE - 1 VINYL "SHINGLE" SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
 CORNER TRIM: 1 X 4 FREEZE TRIM: 1 X 10
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (5 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 3 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.35. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 4 PORCH RAILINGS: GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 7 FOUNDATIONS: POURED-IN-PLACE CONCRETE.
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND. COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE: POURED-IN-PLACE CONCRETE.



GARDEN STREET APARTMENTS
 22 UNIT BUILDING
 GARDEN STREET
 BURLINGTON VERMONT





NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSION ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR CONSTRUCTION.

FEBRUARY 16, 2015

A-3A.0

CONFIDENTIAL
 This drawing is the property of MICHAEL L. DUGAN ARCHITECT and is not to be reproduced, copied, or used in any way without the written consent of MICHAEL L. DUGAN ARCHITECT.



DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE-1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 1 SIDING TYPE-2 VINYL SHINGLE SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
 CORNER TRIM: 1 X 2 FRIEZE TRIM: 1 X 1 1/2
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (25 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.35. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.39 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE.
- 10 SIDING TYPE-3 BRICK VENEER - COMMON BOND. COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE POURED-IN-PLACE CONCRETE.

BUILDING I
 FFE= 220.50'

GARAGE ENTRY ELEVATION OF BUILDING I
 ON-GRADE ELEVATION OF BUILDING I



GARDEN STREET APARTMENTS
 22 UNIT BUILDING
 GARDEN STREET
 BURLINGTON VERMONT




NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSION ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR CONSTRUCTION.

FEBRUARY 16, 2015

A-3A.1


COMMERCIAL
 This drawing is the property of MICHAEL DUGAN ARCHITECT and
 shall remain confidential. It is to be used only for the project
 identified on this drawing. No part of this drawing may be
 reproduced or transmitted in any form or by any means
 electronic, mechanical, photocopying, recording, or by any
 information storage and retrieval system, without the prior
 written permission of MICHAEL D. DUGAN ARCHITECT.



REAR ELEVATION
 1/8" = 1'-0"

"GRAVITY" CONCRETE BLOCK RETAINING WALL

FRONT ELEVATION OF
 BUILDING J
 REAR ELEVATION OF
 BUILDING J



FRONT ELEVATION
 1/8" = 1'-0"

BUILDING J

FFE= 221.30'

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE - 2 VINYL SHINGLE SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
 CORNER TRIM: 1 X 3 FREEZE TRIM: 1 X 18
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (35 YEAR MIN). COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.35. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.35 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: METAL GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND. COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE: POURED-IN-PLACE CONCRETE



GARDEN STREET APARTMENTS
 33 UNIT BUILDING
 GARDEN STREET
 BURLINGTON VERMONT



NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR TO CONSTRUCTION.

FEBRUARY 16, 2015



A-4.0

This drawing is the property of MICHAEL L. DUGAN ARCHITECT and is not to be reproduced or transmitted in any form or by any means without the prior written permission of MICHAEL L. DUGAN ARCHITECT.

GARAGE ENTRY ELEVATION OF BUILDING J
ON-GRADE ELEVATION OF BUILDING J



GARDEN STREET APARTMENTS
33 UNIT BUILDING
GARDEN STREET
BURLINGTON VERMONT



BUILDING J
 FFE= 221.30'

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE - 2 VINYL SHINGLE SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
CORNER TRIM: 1 X 4 FRIEZE TRIM: 1 X 18
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (25 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.31. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.17 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.31 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: METAL GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND COLOR AS SELECTED BY ARCHITECT
- 11 DECKS ON GRADE POURED-IN-PLACE CONCRETE




NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR CONSTRUCTION.

FEBRUARY 16, 2015


A-4.1

CONFIDENTIAL
 This drawing is the property of MICHAEL L. DUGAN ARCHITECT and shall not be used for any other project without the written permission of MICHAEL L. DUGAN ARCHITECT.

FRONT ELEVATION
 REAR ELEVATION
 OF
 BUILDING S



REAR ELEVATION
 1/8" = 1'-0"



FRONT ELEVATION
 1/8" = 1'-0"

BUILDING S

FFE= 189.50'

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 1 SIDING TYPE - 2 VINYL "SHINGLE" SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STAIRING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT.
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (25 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.35 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 BRICKING: BRICKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH BALANCE: GLASS/RAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND COLOR AS SELECTED BY ARCHITECT
- 11 DECKS ON GRADE: POURED-IN-PLACE CONCRETE.



GARDEN STREET APARTMENTS
 33 UNIT BUILDING OPEN-AIR GARAGE
 GARDEN STREET
 BURLINGTON VERMONT




NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR CONSTRUCTION.

FEBRUARY 16, 2015

A-5.0

CONFIDENTIAL
 The drawings are the property of MICHAEL L. DUGAN ARCHITECT, Inc.
 and are to be used only for the project and site identified on these drawings.
 MICHAEL L. DUGAN ARCHITECT

GARAGE ENTRY ELEVATION
 ON-GRADE ELEVATION
 OF
 BUILDING S



BUILDING S

FFE= 189.50'

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE-1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE-2 VINYL 'SHINGLE' SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
 CORNER TRIM: 1 X 4 FRIEZE TRIM: 1 X 10
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (35 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.25. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: METAL GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND COLOR AS SELECTED BY ARCHITECT
- 11 DECKS ON GRADE: POURED-IN-PLACE CONCRETE



GARDEN STREET APARTMENTS
 33 UNIT BUILDING OPEN-AIR GARAGE
 GARDEN STREET
 BURLINGTON VERMONT




REV'D DECEMBER 4, 2014
 OCTOBER 8, 2014

NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR TO CONSTRUCTION.

A-5.1

CONTRACTOR:
 THE DRAWING IS THE PROPERTY OF MICHAEL L. DUGAN ARCHITECT, INC. AND IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON.
 MICHAEL L. DUGAN ARCHITECT

FRONT ELEVATION
 REAR ELEVATION
 OF
 BUILDING T




REAR ELEVATION
 1/8" = 1'-0"

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE - 2 VINYL SHINGLE SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STAIRING AND SUTTING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AND TEXTURE AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4
 CORNER TRIM: 1 X 4
 BOOR TRIM: 1 X 4
 PRICKEE TRIM: 1 X 1 1/2
- 4 ROOFING: AIRPANEL 3-DIMENSIONAL STYLE SHINGLES (25 YEAR MIN). COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.35. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 SIDING: SIDING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILING: QUARTZ/PAV. SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE.
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND. COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE: POURED-IN-PLACE CONCRETE.



GARDEN STREET APARTMENTS
 33 UNIT BUILDING OPEN-AIR GARAGE
 GARDEN STREET
 BURLINGTON VERMONT



FRONT ELEVATION
 1/8" = 1'-0"

BUILDING T

FFE= 194.50'



NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR TO CONSTRUCTION.

FEBRUARY 16, 2015

A-5.2

CONFIDENTIAL
 This drawing is the property of MICHAEL L. DUGAN ARCHITECT and
 is not to be used, copied, or reproduced in any way without the
 written consent of MICHAEL L. DUGAN ARCHITECT.



GARAGE ENTRY ELEVATION OF
 BUILDING S & T
 ON-GRADE ENTRY ELEVATION OF
 BUILDING S & T



GARDEN STREET APARTMENTS
 33 UNIT BUILDING OPEN-AIR GARAGE
 GARDEN STREET
 BURLINGTON VERMONT

ARY 16, 2015

A-5.3



BUILDING T
 FFE= 194.50'

DESCRIPTION OF EXTERIOR MATERIALS


- 1 SIDING TYPE-1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE-2 VINYL "SHINGLE" SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
 CORNER TRIM: 1 X 4 FRIEZE TRIM: 1 X 4
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (25 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.25. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND. COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE POURED-IN-PLACE CONCRETE

NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR CONSTRUCTION.



CONFIDENTIAL
 This drawing is the property of MICHAEL L. DUGAN ARCHITECT and is not to be reproduced, copied, or disseminated in any form without the written consent of MICHAEL L. DUGAN ARCHITECT.

FRONT ELEVATION OF
 BUILDING R
 REAR ELEVATION OF
 BUILDING R




REAR ELEVATION
 1/8" = 1'-0"

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE - 2 VINYL SHINGLE SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING-AND-RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4 DOOR TRIM: 1 X 4
 CORNER TRIM: 1 X 4 FRIEZE TRIM: 1 X 12
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (25 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF .45. COLOR AS SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF .63 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF .25 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: METAL GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND. COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE: POURED-IN-PLACE CONCRETE



GARDEN STREET APARTMENTS
 44 UNIT BUILDING OPEN-AIR GARAGE
 GARDEN STREET
 BURLINGTON VERMONT



FRONT ELEVATION
 1/8" = 1'-0"


BUILDING R
 FFE = 191.50'




NOTE: GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR TO CONSTRUCTION.

FEBRUARY 16, 2015

A-6.0



ON-GRADE ENTRY SIDE ELEVATION
 1/8" = 1'-0"



GARAGE ENTRY SIDE ELEVATION
 1/8" = 1'-0"

BUILDING R

FFE= 191.50'

DESCRIPTION OF EXTERIOR MATERIALS

- 1 SIDING TYPE - 1 VINYL LAP SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 2 SIDING TYPE - 2 VINYL "SHINGLE" SIDING WITH 4 INCH EXPOSURE. COLOR AND TEXTURE AS SELECTED BY ARCHITECT.
- 3 STANDING AND RUNNING TRIM TRIM BOARDS "AZEK" TRIM BOARDS OR APPROVED EQUAL. COLOR AS SELECTED BY ARCHITECT. SIZES AS FOLLOWS:
 WINDOW TRIM: 1 X 4
 CORNER TRIM: 1 X 8
 DOOR TRIM: 1 X 4
 FRIEZE TRIM: 1 X 10
- 4 ROOFING: ASPHALT 3-DIMENSIONAL STYLE SHINGLES (35 YEAR MIN.) COLOR AS SELECTED BY ARCHITECT.
- 5 WINDOWS: EXTRUDED VINYL WINDOWS W/ LOW E COATED, ARGON FILLED INSULATED GLAZING, MAXIMUM U-FACTOR OF 0.35. COLOR SELECTED BY ARCHITECT.
- 6 EXTERIOR DOORS: INSULATED FIBERGLASS DOOR W/ INSULATED GLAZING. MAXIMUM U-FACTOR OF 0.37 FOR OPAQUE DOORS AND A MAXIMUM U-FACTOR OF 0.35 FOR GLAZING. COLOR AS SELECTED BY ARCHITECT.
- 7 DECKING: DECKING SHALL CONSIST OF COMPOSITE MATERIAL. COLOR AS SELECTED BY ARCHITECT.
- 8 PORCH RAILINGS: METAL GUARDRAIL SYSTEM. COLOR AS SELECTED BY ARCHITECT.
- 9 FOUNDATIONS: POURED-IN-PLACE CONCRETE
- 10 SIDING TYPE 3: BRICK VENEER - COMMON BOND. COLOR AS SELECTED BY ARCHITECT.
- 11 DECKS ON GRADE: POURED-IN-PLACE CONCRETE.

LICENSED ARCHITECT
 MICHAEL L. DUGAN ARCHITECT
 100 NORTH STREET
 BURLINGTON, VT 05401
 TEL: 802-249-1111
 FAX: 802-249-1112
 WWW.MICHAELDUGANARCHITECT.COM

ON-GRADE ENTRY ELEVATION OF BUILDING R
GARAGE ENTRY ELEVATION OF BUILDING R



GARDEN STREET APARTMENTS
44 UNIT BUILDING OPEN-AIR GARAGE
GARDEN STREET
BURLINGTON
VERMONT



FEBRUARY 16, 2015

NOTE:
 GENERAL CONTRACTOR IS TO VERIFY ALL DIMENSIONS ON THIS DRAWING PRIOR TO CONSTRUCTION.
 GENERAL CONTRACTOR IS TO VERIFY ALL SITE CONDITIONS PRIOR TO CONSTRUCTION.

A-6.1