Ireland Property

T1 -	Title Sheet
S1 -	Existing Conditions Plan
S2 -	Site Plan
S3 -	Utility Plan
S4 -	Grading Plan
S5 -	Pedestrian Plan 1
S6 -	Pedestrian Plan 2
S7 -	Pedestrian Plan 3
S8 -	Burlington Parks & Rec. Improvements
S9 -	Off-Site Water Line Extension
S10 -	Plan & Profile Upper Plateau
S11 -	Plan & Profile Transition
S12 -	Plan & Profile Lower Plateau
S13 -	Sewer Details
S14 -	Pump Station Details
S15 -	Parking Details
S16 -	Water Details
S17 -	Stormwater and Erosion Control Details
EC1 -	Erosion Control Pre-Construction Plan
EC2 -	Erosion Control Construction Phase I Plan
EC3 -	Erosion Control Construction Phase II Plan
EC4 -	Erosion Control Post-Construction Plan
EC5 -	Erosion Control Culvert Removal
EC6 -	Erosion Control Details

Location Plan

N.T.S.



Owners & Applicants

S.D. IRELAND BROTHERS CORP.
C/O SCOTT IRELAND
P.O. BOX 2286
SOUTH BURLINGTON, VERMONT 05407

IRELAND GROVE STREET PROPERTIES, LLC
C/O SCOTT IRELAND
P.O. BOX 2286
SOUTH BURLINGTON, VERMONT 05407

GRAPHIC SCALE

(IN FEET)
1 inch = 100 ft

Landscape Architect

WAGNER-HODGSON
C/O JEFF HODGSON, ASLA
7 MARBLE AVENUE
BURLINGTON VERMONT 05401

Civil Engineer

O'LEARY-BURKE CIVIL ASSOCIATES
C/O PAUL O'LEARY, PE
1 CORPORATE DRIVE
ESSEX JCT VERMONT 05452

PAUL T. O'LEARY JR. No. 5477 REGISTERED PROFESSIONAL ENGINEER

DATE 9/3/14	REVISION Updated for Final Submittal		BY BWC
SURVEY OBCA	☐ RECORD DRAWING ☐ PRELIMINARY ■ FINAL ☐ SKETCH/CONCEPT		DATE 7-23-14
DESIGN OTHERS/OBCA	O'LEARY-BURKE CIVIL ASSOCIATES, PLC	IRELAND PROPERTY	JOB# 2011-52
DRAWN BJB/BWC	1 CORPORATE DRIVE, SUITE 1 ESSEX JCT., VT PHONE: 878 9000 FAX: 878-2693 E MAIL: poleary@olearyburke.com	Grove Street Burlington, VT	FILE 2011-52-S3
CHECKED PJO		TITLE SHEET	PLAN SHEET # T1
SCALE 1"=100'			

Legend

- PROJECT BOUNDARY
- 500 CONTOUR LINE (U.S.G.S. DATUM)
- PROPOSED FINISH GRADE CONTOUR
- EDGE OF WOODED AREA
- PROPOSED MAIL BOX CLUSTER
- PROPOSED SPLIT RAIL FENCE
- GRASSED SWALE WITH UNDERDRAIN
- RETAINING WALL
- PROPOSED PAVEMENT
- PROPOSED BUILDING
- PROPOSED DUMPSTER PAD LOCATION
- Fu SOIL TYPE + BOUNDARY
- PROPOSED PATH
- HVAC PAD
- FOOTPRINT LOT
- BIKE RACK

Parking

UNITS	232
PARKING SPACES	394
UNDERGROUND	164
ABOVEGROUND	230
HANDICAP SPACES	17
UNDERGROUND	6
ABOVEGROUND	11

100' WETLAND BUFFER
250' CONSERVATION ZONE BUFFER
APPROX. EXISTING TREELINE
SPECIAL FLOOD HAZARD AREA BOUNDARY
SPLIT RAIL FENCE TO FOLLOW RIDGELINE
PAVILION
B 46-UNITS (4 ROOMS, 10-11 UNITS/FLOOR) 29 SPACES FFE=215.5'
FOOTPRINT LOT (TYP.)
V SPACE
SNOW STORAGE
20'
40 SPACES
U1 COMMUNITY CENTER FFE=193.0'
POOL
8 SPACES
24'
ARBOR ST
J 33-UNIT (3 FLOORS, 11 UNITS/FLOOR) 29 SPACES FFE=221.3'
6 SPACES
GARDEN ST
22-UNIT (3 FLOORS, 11 UNITS/FLOOR) 29 SPACES FFE=205.5'
PAVILION
COMMUNITY GARDEN
225
228
3 SPACES
2 SPACES
100' CENTENNIAL BROOK BUFFER
100' WETLAND BUFFER
SNOW STORAGE
FOOTPRINT LOT (TYP.)
BIKE RACK (TYP.)
H 2-UNIT FFE=217.5'
G 2-UNIT FFE=218.0'
F 2-UNIT FFE=218.5'
E 6-UNIT FFE=219.0'
11 SPACES
6 SPACES
MAILBOXES
D 2-UNIT FFE=216.0'
C 2-UNIT FFE=217.5'
B 2-UNIT FFE=217.5'
A 2-UNIT FFE=218.0'
CURBING
GROVE STREET
SIGN
ANGLED CURBING
SHORT TERM PARKING (TYP.)
L 6-UNIT FFE=218.0'
M 6-UNIT FFE=218.5'
N 6-UNIT FFE=218.2'
O 2-UNIT FFE=218.8'
P 2-UNIT FFE=216.7'
36 SPACES
G MAINT. GARAGE
SHORT TERM PARKING (TYP.)
T 33-UNIT (3 FLOORS, 11 UNITS/FLOOR) 29 SPACES FFE=194.5'
65 SPACES
GRAVEL DRIVE
S 37-UNITS (3 FLOORS, 12 UNITS/FLOOR) 29 SPACES FFE=189.5'
BOUNDARY LINE ADJUSTMENT 91 ACRES TO IRELAND GROVE STREET PROPERTIES, LLC
APPROX. EXISTING TREELINE

GRAPHIC SCALE
40 0 20 40 80 160
(IN FEET)
1 inch = 40 ft.

PAUL J. O'LEARY No. 5477 REGISTERED LAND SURVEYOR

DATE 9/3/14	REVISION Updated for Final Submittal
SURVEY OBCA	☐ RECORD DRAWING ☐ PRELIMINARY ■ FINAL ☐ SKETCH/CONCEPT
DESIGN OTHERS/OBCA	
DRAWN BJB/BWC	
CHECKED PJO	
SCALE 1"=40'	

O'LEARY-BURKE CIVIL ASSOCIATES, PLC
1 CORPORATE DRIVE, SUITE 1
ESSEX JCT., VT
PHONE: 878-9900
FAX: 878-9999
E-MAIL: poleary@olearyburke.com

IRELAND PROPERTY
Grove Street — Burlington, VT

SITE PLAN

BY	BWC
DATE	7-23-14
JOB #	2011-52
FILE	2011-52-SS
PLAN SHEET #	S2

Legend

- PROJECT BOUNDARY
- 500 CONTOUR LINE (U.S.G.S. DATUM)
- PROPOSED FINISH GRADE CONTOUR
- EDGE OF WOODED AREA
- S PROPOSED SEWERLINE
- PROPOSED STORMLINE
- W PROPOSED WATERLINE
- PROPOSED HYDRANT
- GRASSED SWALE WITH UNDERDRAIN
- RETAINING WALL
- PROPOSED PAVEMENT
- PROPOSED BUILDING
- PROPOSED DUMPSTER PAD LOCATION
- Fu SOIL TYPE + BOUNDARY
- PROPOSED PATH
- TRANSFORMER PAD

Units			
Service Pipe	21-44	6	2
SDR35 PVC Sewer Service	6 in	6 In	6 In
C900 PVC Water Service	8 In	1½ In (CU)	1 In (CU)

Note: Any parking garage drainage is to be connected to an oil/grit separator and discharged to the sanitary sewer

Sewer Infrastructure

SMH #1 Rim = 215.5'
8" Out = 206.5'

SMH #2 Rim = 218.96'
8" Out = 205.75'
8" In = 205.85'
8" In = 205.85'

SMH #3 Rim = 215.85'
8" Out = 205.07'
8" In = 205.17'
8" In = 205.17'

SMH #4 Rim = 219.15'
8" Out = 210.15'

SMH #5 Rim = 215.15'
8" Out = 207.00'
8" In = 207.10'

SMH #6 Rim = 217.91'
8" Out = 207.74'

SMH #7 Rim = 210.66'
8" Out = 198.77'
8" In = 198.87'

SMH #8 Rim = 194.76'
8" Out = 182.29'
8" In = 182.39'
8" In = 182.39'

SMH #9 Rim = 189.75'
8" Out = 180.83'
8" In = 180.93'

SMH #10 Rim = 190.78'
8" Out = 184.17'

Stormwater Infrastructure

CB #1 Rim = 209.80'
4" UD = 205.80'
12" In = 204.80'
15" Out = 204.70'

CB #2 Rim = 209.80'
4" UD = 205.80'
15" In = 204.62'
15" Out = 204.52'

CB #3 Rim = 215.40'
15" In = 204.24'
15" Out = 204.14'

CB #4 Rim = 215.20'
15" In = 204.06'
15" In = 204.06
18" Out = 203.96'

CB #5 Rim = 210.80'
4" UD = 206.80'
15" In = 205.62'
15" Out = 205.52'

CB #6 Rim = 210.80'
4" UD = 206.80'
12" In = 205.80'
15" Out = 205.70'

CB #7 Rim = 216.2'
15" In = 204.08'
18" In = 202.97'
18" Out = 202.87'

CB #8 Rim = 215.80'
4" UD = 211.80'
18" In = 201.75'
18" Out = 201.65'

CB #9 Rim = 215.40'
4" UD = 211.40'
15" In = 206.25'
15" In = 207.85'
18" In = 201.52'
18" Out = 201.42'

CB #10 Rim = 215.00'
4" UD = 211.00'
15" In = 207.60'
15" Out = 207.50'

CB #11 Rim = 214.7'
4" UD In = 210.70'
15" Out = 207.80'

CB #12 Rim = 215.50'
15" Out = 208.00'

CB #13 Rim = 206.90'
4" UD = 202.90'
18" In = 199.32'
18" Out = 199.22'

CB #14 Rim = 206.50'
4" UD = 202.50'
18" In = 199.14'
12" In = 199.14'
18" Out = 199.04'

CB #15 Rim = 195.19'
4" UD = 191.19'
12" In = 187.60'
15" In = 187.60'
18" In = 187.60'
18" In = 187.60'
24" Out = 187.50'

CB #16 Rim = 210.70'
4" UD = 206.70'
18" In = 200.92'
15" In = 201.50'
18" Out = 200.82'

CB #17 Rim = 210.75'
4" UD = 206.75'
15" Out = 203.25'

CB #18 Rim = 197.65'
4" UD = 193.65'
18" In = 190.25'
18" Out = 190.15'

CB #19 Rim = 197.82'
12" In = 190.69'
18" Out = 190.59'

CB #20 Rim = 195.00'
4" UD = 191.00'
15" Out = 187.85'

CB #21 Rim = 190.90'
4" UD = 186.90'
15" In = 185.98'
15" Out = 184.01'

CB #22 Rim = 180.85'
4" UD = 176.85'
12" In = 175.85'
15" Out = 175.75'

CB #23 Rim = 188.80'
4" UD = 184.80'
15" In = 175.27'
15" In = 175.27'
18" Out = 175.17'

CB #24 Rim = 187.60'
15" In = 176.70'
18" In = 174.56'
18" In = 172.80'
24" In = 176.70'
30" Out = 172.70'

CB #25 Rim = 188.75'
4" UD = 184.75'
15" In = 177.89'
15" Out = 177.79'

CB #26 Rim = 184.00'
4" UD = 180.00'
15" In = 173.44'
12" In = 176.50'
18" Out = 173.34'

CB #27 Rim = 179.00'
4" UD = 175.00'
15" In = 173.82'
15" Out = 173.72'

CB #28 Rim = 179.00'
4" UD = 175.00'
12" In = 174.00'
15" Out = 173.90'

CB #29 Rim = 192.30'
15"Out = 186.30'

Clean Out #1 Rim = 218.2'
12" In = 212.20'
12" Out = 212.10'

Yard Drain #1 Rim = 220.25'
12" Out = 214.0'

Yard Drain #2 Rim = 213.5'
4" UD = 209.50'
15" Out = 205.04'

Yard Drain #3 Rim = 220.25'
12" Out = 214.0'

Yard Drain #4 Rim = 218.5'
12" Out = 204.0'

Yard Drain #5 Rim = 198.5'
4" UD = 194.5'
12" Out = 193.5'

Yard Drain #6 Rim = 183.5'
12" Out = 177.5'

Yard Drain #7 Rim = 185.5'
12" Out = 180.00'

Yard Drain #8 Rim = 182.5'
12" Out = 176.5'

Yard Drain #9 Rim = 185.5'
4" UD = 181.5'
15" Out = 179.5'

Yard Drain #10 Rim = 193.5'
12" Out = 187.80'

GRAPHIC SCALE
(IN FEET)
1 inch = 40 ft.

DATE 9/3/14	REVISION Updated for Final Submittal		BY BWC
SURVEY OBCA	☐ RECORD DRAWING ☐ PRELIMINARY ■ FINAL ☐ SKETCH/CONCEPT		DATE 7-23-14
DESIGN OTHERS/OBCA	O'LEARY-BURKE CIVIL ASSOCIATES, PLC	IRELAND PROPERTY	JOB 2011-52
DRAWN BJB/BWC	1 CORPORATE DRIVE, SUITE 1 ESSEX JCT., VT PHONE: 878-2990 FAX: 878-6999 E-MAIL: poleary@olearyburke.com	Grove Street Burlington, VT	FILE 2011-52-S9
CHECKED PJO		UTILITY PLAN	PLAN SHEET # S3
SCALE 1"=40'			

PAUL J. O'LEARY JR. No. 5477 REGISTERED

Legend

- PROJECT BOUNDARY
- 505 CONTOUR LINE (U.S.G.S. DATUM)
- PROPOSED FINISH GRADE CONTOUR
- EDGE OF WOODED AREA
- PROPOSED SEWERLINE
- PROPOSED STORMLINE
- PROPOSED WATERLINE
- PROPOSED HYDRANT
- GRASSED SWALE WITH UNDERDRAIN
- RETAINING WALL
- PROPOSED PAVEMENT
- PROPOSED BUILDING
- PROPOSED DUMPSTER PAD LOCATION
- Fu SOIL TYPE + BOUNDARY

PAVILION
R 44-UNITS (4 FLOORS, 10-11 UNITS/FLOOR) 39 SPACES FFE=191.5'
V SPACE
UI COMMUNITY CENTER FFE=193.0'
POOL
8 SPACES
MAINT. GARAGE
S 37-UNITS (3 FLOORS, 12-13 UNITS/FLOOR) 24 SPACES FFE=192.5'
T 33-UNIT (3 FLOORS, 11 UNITS/FLOOR) 21 SPACES FFE=191.5'
J 33-UNIT (3 FLOORS, 11 UNITS/FLOOR) 29 SPACES FFE=221.3'
I 22-UNIT (2 FLOORS, 11 UNITS/FLOOR) 15 SPACES FFE=220.5'
PAVILION
COMMUNITY GARDEN
COMMUNITY GARDEN
H 2-UNIT FFE=217.5'
G 2-UNIT FFE=218.0'
F 2-UNIT FFE=218.5'
E 6-UNIT FFE=219.0'
L 6-UNIT FFE=218.0'
M 6-UNIT FFE=218.5'
N 6-UNIT FFE=218.2'
O 2-UNIT FFE=218.0'
P 2-UNIT FFE=216.7'
D 2-UNIT FFE=216.03'
C 2-UNIT FFE=217.5'
B 2-UNIT FFE=217.5'
A 2-UNIT FFE=218.0'
65 SPACES
36 SPACES
11 SPACES
9 SPACES
6 SPACES
4 SPACES
GROVE STREET
(14) - 6" risers
(11) - 6" risers
(6) - 6" risers

GRAPHIC SCALE
40 0 20 40 80 160
(IN FEET)
1 inch = 40 ft.

PAUL J. O'LEARY JR. No. 5477 REGISTERED

DATE 9/3/14	REVISION Updated for Final Submittal
SURVEY DBCA	☐ RECORD DRAWING ☐ PRELIMINARY ■ FINAL ☐ SKETCH/CONCEPT
DESIGN OTHERS/DBCA	O'LEARY-BURKE CIVIL ASSOCIATES, PLC
DRAWN EJR/BWC	1 CORPORATE DRIVE, SUITE 1 ESSEX JCT., VT PHONE: 879-9000 FAX: 879-9005 E-MAIL: polsey@olearyburke.com
CHECKED PJO	
SCALE 1"=40'	

IRELAND PROPERTY
Grove Street — Burlington, VT

GRADING PLAN

BY	BWC
DATE	7-23-14
JOB #	2011-52
FILE	2011-52-S9
PLAN SHEET #	S4