

RECEIVED

JUL 13 2015

DEPARTMENT OF
PLANNING & ZONING



RECEIVED

JUL 13 2015



DEPARTMENT OF
PLANNING & ZONING



RECEIVED

JUL 13 2015


DEPARTMENT OF
PLANNING & ZONING



RECEIVED

JUL 13 2015

DEPARTMENT OF
PLANNING & ZONING





Search **GO**



- Trade Professionals / Resellers
 - Lighting Gift Ideas
 - Sale & Clearance
 - New Products
-
- Light Fixtures
 - Residential
 - Commercial
 - Light Bulbs
 - Power Supplies
 - Lighting Controls
 - Brands

This summer, the ice cream is on us! FREE Standard Shipping on orders over \$25 (US48) - \$4.99 Flat Rate Standard below \$25 - [Click for details](#)

now in: [recessed lighting](#) > [led recessed lighting](#) > [3-inch led recessed lighting](#) > [3-inch led remodel non-ic recessed light kit](#)

- Product Overview:**
- Complete kit
 - Highly efficient
 - Dimmable
 - Energy Star rated
 - ETL listed
 - 5-Year warranty
 - [Learn More](#)

3-Inch LED Remodel Non-IC Recessed Light Kit




Need Assistance?

LiveTextCHAT
M - F 9am - 5:00pm ET

Email Us
24/7

800.392.4818
M - F 6am - 6:00pm ET



Item # PEP3-RE-30

Rating (2 Reviews)

Price **\$39.90**

Options Select a Finish:
-Choose-

Availability Usually ships in 2-3 business days

Quantity

Add to my cart
safe. secure.

Add to my wish list

Have a Question?

Ask a Question
about this Product



RECEIVED
JUL 06 2015

DEPARTMENT OF PLANNING & ZONING
[Back to Top](#)

About our 3-Inch LED Remodel Non-IC Recessed Light Kit

- » [Description](#)
- » [Product Reviews](#)
- » [Specifications & Measurements](#)
- » [Questions & Answers](#)

Description

[Back to Top](#)

Everything you need to install your recessed light is included in this convenient package that includes the built-in light engine, integrated trim, remodel can with integrated lens, power junction box, mounting hardware, and more. This recessed light has a warm white LED with high color rendering to produce attractive accent lighting with true color rendering.

LIGHT FIXTURE

- **Complete Kit:** includes light engine with integrated trim, 3-inch non-insulated remodel can with integrated lens and attached torsion clips, power junction box, drywall clips, insulating foam ring, and cut-out template.
- **3 Attractive Trim Finishes:** white, dark bronze, or brushed steel
- **Frosted Polycarbonate Lens**
- **Dimensions:** Housing: 4-13/16(H) x 5.5(W) x 12.5(L). Trim: 4-13/16(H) x 3-15/16 (Diameter)
- **Ceiling Cutout:** only 3-3/8in
- **Remodel Torsion Clips:** torsion clips are pre-attached to the remodel can for easy installation
- **Ceiling Insulation:** because this housing is *not* IC-rated the ceiling insulation must be kept at least 3 inches away from all outside surfaces of the housing

LIGHT SOURCE

- **Bright Samsung LEDs**

Accessories

CFL & LED Dimmers

Related Items

3-Inch LED Remodel Non-IC Recessed Light Kit with Swivel Trim
\$44.90




 Company

[Products](#) [Design & Innovation](#) [Where To Buy](#)

[Customer Support](#) [News & Events](#)

- [Products Main](#)
- [Entry Doors](#)
- [Patio Doors](#)
- [Decorative Glass](#)
- [Multi-Family Doors](#)
- [Trim & Millwork](#)
- [New Products](#)
- [DoorWays App](#)
- [Energy Efficiency](#)




Fiberglass Entry Door Systems

Classic-Craft Rustic

Add the character of a rustic entryway to your home's Southwestern or European country architecture with the Classic-Craft® Rustic Collection™. These front doors have the look of real wood grain, and the simple yet authentic hand-craftsmanship of the artisans that originally created these door styles.


The Rustic Collection is made with our patented AccuGrain™ technology to give the look of high-grade wood, with all of the durability of fiberglass. The exterior doors in this collection have the look and feel of a real wood front door but unlike genuine wood doors, they resist splitting, cracking and rotting.



- [Browse all doors in this collection.](#)
- [Find a Therma-Tru dealer near you.](#)

Build Your Door

Choose your door and then personalize it with our wide variety of options.



 [Print](#)
 [Email](#)
 [Post It](#)
 [Share](#)



Pick Door Height: [6'8" Doors](#) [8'0" Doors](#)

Pick a Configuration: 6 Available Styles








Pick a Door Style: 13 Available Styles





















Pick a Glass Style: 18 Available Styles


[Villager](#) 


[Homeward](#) 


[Arcadia](#) 


[Augustine](#) 



[Ashurst](#) 


[Bella](#) 


[Arborwatch](#) 


[Borrassa](#) 


[Provincial](#) 


[Longford](#) 

[View Details](#) [Where to Buy](#)

[Try It On](#)

View style number(s), features and additional information.

Available Door Sizes:

- 3'0" x 6'8"

[Dimensional Data](#)

Glass: Clear
Low-E Available (?)

Finish Options:
[Stainable](#) [Paintable](#)

http://www.thermatru.com/products/entry/fiberglass-entry-doors/ccr/index.aspx#dso:door-2-3_lite_1_panel_plank-ccr20520/go:dl/

1/2

- [Products Main](#)
- [Entry Doors](#)
- [Patio Doors](#)
- [Decorative Glass](#)
- [Multi-Family Doors](#)
- [Trim & Millwork](#)
- [New Products](#)
- [DoorWays App](#)
- [Energy Efficiency](#)



Fiberglass Entry Door Systems

Classic-Craft Rustic

Add the character of a rustic entryway to your home's Southwestern or European country architecture with the Classic-Craft® Rustic Collection™. These front doors have the look of real wood grain, and the simple yet authentic hand-craftsmanship of the artisans that originally created these door styles.

The Rustic Collection is made with our patented **AccuGrain™ technology** to give the look of high-grade wood, with all of the durability of fiberglass. The exterior doors in this collection have the look and feel of a real wood front door but unlike genuine wood doors, they resist splitting, cracking and rotting.



- [Browse all doors in this collection.](#)
- [Find a Thermo-Tru dealer near you.](#)

JUL 06 2015

DEPARTMENT OF
PLANNING & ZONING


    [Save My Door](#)

[Print](#) [Email](#) [Post It](#) [Share](#)

Build Your Door

Choose your door and then personalize it with our wide variety of options.

Transoms



[View Details](#) [Where to Buy](#)

[Try It On](#)

View style number(s), features and additional information.

Available Door Sizes:

- 3'0" x 6'8"

[Dimensional Data](#)

Glass: Clear
Low-E Available (?)

Finish Options:
[Stainable](#) [Paintable](#)

Pick Door Height: [6'8" Doors](#) [8'0" Doors](#)

Pick a Configuration: 6 Available Styles









Pick a Door Style: 13 Available Styles



















Pick a Glass Style: 18 Available Styles



[Villager](#) 




[Homeward](#) 



[Arcadia](#) 



[Augustine](#) 



[Ashurst](#) 



[Bella](#) 




[Arborwatch](#) 



[Borrassa](#) 



[Provincial](#) 



[Longford](#) 

A New Category of Exterior Trim

A New Category of Exterior Trim

- The first and only Poly-ash trim product, consisting of a blend of proprietary polymers and coal combustion products (ash).
- Poly-ash composition provides consistency throughout the material with virtually no moisture cycling⁺ or expansion and contraction⁺.
- Developed with years of rigorous internal and 3rd party testing, proven with thousands of installations.
- Composed of more than 70% recycled materials.
- Boral TruExterior® Trim is a product you can trust to provide exceptional performance, superior workability and a lasting appearance for exterior applications.

An Excellent Exterior Trim Alternative

Like Wood, Boral TruExterior® Trim...

- is easy to handle (similar weight)
- is reversible with an authentic wood grain and smooth side
- is easy to cut, rout, drill and fasten
- can be installed with the same tools


Unlike Wood, Boral TruExterior® Trim...

- is a low maintenance product
- has exceptional durability
- is resistant to rotting, cracking, splitting from moisture and virtually free from termites⁺
- offers excellent workability

Unlike most other trim products, Boral TruExterior® Trim...

- maintains a high level of dimensional stability during periods of moisture and temperature change⁺
- is suitable for ground contact
- does not require end-sealing, special adhesives or other cumbersome and costly installation techniques
- can be painted any color
- contains one of the highest levels of recycled content

⁺Please see Boral TruExterior® Trim Limited Warranty and Product Data Sheets for proprietary test results located at www.BoralTruExterior.com



About Boral®

Boral Bricks




Boral Roofing



Cultured Stone® by Boral®



Boral TruExterior® Trim



Boral Limited

Boral is an international building and construction materials group, headquartered in Sydney, Australia. With annual sales over \$5.0 billion, Boral has roughly 14,000 employees working across over 580 operating sites. Boral produces and distributes a broad range of Construction Materials including quarry products, cement, fly ash, pre-mix concrete and asphalt; and Building Products including clay brick, clay and concrete roof tiles, masonry products, plasterboard, windows and timber. Boral serves customers in the building and construction industries in three key geographical markets - Australia, the USA and Asia.

Boral USA

Headquartered in Roswell, Georgia, Boral USA has been in operation for more than 30 years—with a focus on being a leading manufacturer and supplier of building products and construction materials.

- Boral USA currently holds a variety of leadership positions in the building products and construction materials markets.
- The company is active in categories that show long-term growth opportunities.
- Boral USA is a leading manufacturer and marketer of:

Boral Bricks – #1 brand of clay brick

Boral Roofing – Largest manufacturer of clay & concrete roof tiles in the U.S.

Cultured Stone® by Boral® – #1 brand of manufactured stone veneer

Boral Material Technologies – A leading marketer of fly-ash

Boral Composites - Producer of Boral TruExterior® Trim and other innovative products

RECEIVED
JUL 06 2015

DEPARTMENT OF
PLANNING & ZONING

ELEVATIONS – All ULTREX DOUBLE HUNG UNITS Not To Scale

Mas. Opp.	1-6 (457)	2-0 (610)	2-6 (762)	2-8 (914)	3-0 (914)	3-6 (1067)	4-0 (1219)
Rgh. Opp.	1-6 (457)	2-0 (610)	2-6 (762)	2-8 (914)	3-0 (914)	3-6 (1067)	4-0 (1219)
Frame Size	1-5 1/2 (445)	1-11 1/2 (597)	2-5 1/2 (749)	2-7 1/2 (902)	2-11 1/2 (902)	3-5 1/2 (1054)	3-11 1/2 (1207)

Mas. Opp. Rgh. Opp. Frame Size	5-5 3/4 (1670) 5-6 (1676) 5-5 1/2 (1664)								NO DIVIDED LIGHTS
	5-11 3/4 (1822) 6-0 (1828) 5-11 1/2 (1816)								
	6-5 3/4 (1975) 6-6 (1981) 6-5 1/2 (1969)								

SLIDING WINDOW TRANSOM

Mas. Opp.	1-6 (457)	2-0 (610)	2-6 (762)	2-8 (914)	3-0 (914)	3-6 (1067)	4-0 (1219)	5-0 (1524)
Rgh. Opp.	1-6 (457)	2-0 (610)	2-6 (762)	2-8 (914)	3-0 (914)	3-6 (1067)	4-0 (1219)	5-0 (1524)
Frame Size	1-5 1/2 (445)	1-11 1/2 (597)	2-5 1/2 (749)	2-7 1/2 (902)	2-11 1/2 (902)	3-5 1/2 (1054)	3-11 1/2 (1207)	4-11 1/2 (1511)

Mas. Opp. Rgh. Opp. Frame Size	0-11 3/4 (288) 1-0 (305) 0-11 1/2 (292)								
	1-5 3/4 (451) 1-6 (457) 1-5 1/2 (445)								
	1-11 3/4 (603) 2-0 (610) 1-11 1/2 (597)								


NOTE:
E=These windows meet National Egress Codes for fire evacuation. Local codes may differ.
Standard GBGs patterns shown in above units. Optional: Customer specified equal lite cut patterns are available. Units are available with or without GBGs.
Imperial and metric dimensions are shown. Metric dimensions are in millimeters.
All units viewed from exterior.
T = Tempered

RECEIVED
JUL 06 2015

DEPARTMENT OF
PLANNING & ZONING

EGRESS MEASUREMENTS

EGRESS MEASUREMENTS



Code restrictions may vary depending on your local building codes. For additional information contact your local code department for IBC and IRC requirements.