

Therma-Tru Tru-Defense™ System

RECEIVED

THERMATRU
DOORS

JUL 14 2020


WHY ASK FOR A TRU-DEFENSE™ ENTRY DOOR SYSTEM?

It offers the best performance against water and air infiltration!


Therma-Tru's comprehensive Tru-Defense Entry Door Systems give you maximum severe weather resistance with all the warmth and style of a Therma-Tru® fiberglass door. It's the next generation in Therma-Tru's high performance entry door systems. Our Tru-Defense entry door system includes a high dam sill, patent-pending corner seal pads and door bottom sweep. For regions of the country that require an entry door system to meet stringent building codes (i.e. DP-40, DP-47) for severe weather conditions, Therma-Tru also offers a Tru-Defense Certified Entry Door System that has been independently tested and certified when built using our multi-point locking system. Bottom line: Therma-Tru's Tru-Defense entry door systems provide the best protection no matter what part of the country you live in.

To get a door system made this tough, ask for Tru-Defense only by Therma-Tru.

Therma-Tru Entry Doors



Classic-Craft®



Fiber-Classic® and Smooth-Star®

Polyurethane foam core. Offers five times the energy efficiency of a wood door and is CFC-free.

Solid wood square edge on Classic-Craft doors. This reproduces the look of a real wood door. Wood lock stile on Classic-Craft runs the entire length of the door to add structural integrity. Fiber-Classic and Smooth-Star offer a wood lock block.

Decorative glass designs. Encased between two panes of tempered safety glass for energy efficiency and easy cleaning.




Classic-Craft
(Square)





Fiber-Classic and Smooth-Star
(Bullnose)

Weatherstrip. Foam filled compression weatherstrip remains flexible and seals your entryway against moisture and air infiltration. Removable for finishing. Available in White, Bronze or Stone.


Tru-Defense Sills. High dam design with composite threshold cap locks under the door panel while a flush surface provides full contact between the sweep and the sill to keep water out. Choose from mill, bronze or brass finish.



Composite
Adjustable



Tru-Defense Corner Seal Pad. Its innovative design creates a pocket that effectively prevents water infiltration.



Tru-Defense Door Bottom Sweep. Features dual bulbs with dual fins that sit tightly on the sill to help prevent air and water infiltration.



HARVEY
BUILDING PRODUCTS

Manufacturing
ACKNOWLEDGEMENT

Harvey Industries, Inc.
1400 Main Street. Waltham, MA 02451-1689
(781) 899-3500 harveybp.com

Dealer Quote Detail

Williston
71 Leroy Road
WILLISTON, VT 05495-5891
Phone: (802) 660-8111 Fax: (802) 660-4782



BILL TO:

SHIP TO:

ARTISAN BUILDERS
237 RIVERSIDE AVE.
BURLINGTON, VT 05401-4845


ARTISAN BUILDERS
237 RIVERSIDE AVE.

Phone: 802-324-3767 Fax: 0

BURLINGTON VT 05401-4845
Phone: 802-324-3767 Fax: 0

QUOTE NBR	CUST NBR	CUSTOMER PO	ENTERED	DATE ORDERED	ORDER TYPE
4845474	1037251		7/13/2020	Quote Not Ordered	Cash
ORDERED BY	STATUS	SHIP VIA	DELIVERY AREA		
Kip	None	Whse Pickup	WILLISTON VT		
CLERK		JOB NAME	COUPON		
sac - Steven Chagnon		Parran			

LINE #	DESCRIPTION	QTY	UNIT PRICE	EXTENDED
10000-1	Majesty DH , Unit Size 34 x 60, RO 34.5 x 60.5 Unit 1: U-Factor = 0.27, SHGC = 0.29, VT = 0.51, HII-M-26-00616-00001, Size Options = Custom Size, New Construction Frame Width (Inches) = 34, Frame Height (Inches) = 60 Double Glazed, Double Low-E RS, Argon Filled Natural Pine , Base Color = White, Jamb Liner Color = Standard-Almond Single , Coppertone, Non-Routed Full Screen, Full Screen Mullion, Fiberglass Mesh, Screen Shipping Separate Applied Nail Fin Overall Frame Width (Inches) = 34, Overall Frame Height (Inches) = 60, Overall Rough Opening Width (Inches) = 34.5, Overall Rough Opening Height (Inches) = 60.5 Clear Opening Width = 30.125, Clear Opening Height = 23.75, Clear Opening Square Footage = 4.97 E.Star Zone:North=Yes, E.Star Zone:North-Central=Yes	1	\$472.05	\$472.05



Room Location: None Assigned

Pricing Details

Lower Glass Low-E Add-On	\$13.00
Upper Glass Low-E Add-On	\$13.00
Lower Glass Argon Add-On	\$1.75
Upper Glass Argon Add-On	\$1.75
Majesty Double Hung Base Charge	\$391.05
Lower Glass Low-E RS Add-On	\$7.75
Upper Glass Low-E RS Add-On	\$7.75
Maj-DH Screen Add-On	\$36.00

RECEIVED
JUL 14 2020
BURLINGTON
PERMITTING & INSPECTIONS



Scan with Smartphone to access installation
instructions in HBP's Document Center

QUOTE NBR	CUST NBR	CUSTOMER PO	ENTERED	DATE ORDERED	ORDER TYPE
4845474	1037251		7/13/2020	Quote Not Ordered	Cash
ORDERED BY	STATUS	SHIP VIA	DELIVERY AREA		
Kip	None	Whse Pickup	WILLISTON VT		
CLERK		JOB NAME		COUPON	
sac - Steven Chagnon		Parran			

LINE #	DESCRIPTION	QTY	UNIT PRICE	EXTENDED
11000-1	Smooth-Star , Unit Size 37.625 x 82, RO 38.375 x 82.5 S262 Call Width = 30, Call Height = 68, Frame Width (Inches) = 37.625, Frame Height (Inches) = 82 Standard Overall Frame Width (Inches) = 37.625, Overall Frame Height (Inches) = 82 Door Grille Options = Molded Non-Removable Grille Hinge Direction (As Viewed From the Outside) = Hinge Right, In-Swing Primed, 4 9/16", Mill Composite Adjustable Sill Bore Lockset & Deadbolt, Door Sleeve Type = Harvey Logo, Brush Nickel Ball Bearing Primed Finger Jointed Flat Casing	1	\$519.00	\$519.00



Room Location: None Assigned

Pricing Details

TT Glass - Add-On	\$72.00
Therma-Tru Deadbolt Bore	\$12.00
TT Hinge Charge	\$18.00
Therma-Tru Slab Charge	\$245.00
Therma-Tru Door Sill Charge	\$38.00
Wrapping TT Casing Charge	\$47.00
Wrapping Therma-Tru Frame	\$87.00

RECEIVED
JUL 14 2020
BURLINGTON
PERMITTING & INSPECTIONS

****Note: Delivery charges may apply and are not included on this quote.**

This quotation is based on our interpretation of the information provided. All quantities, sizes, extensions, grand totals, and specifications should be verified by the contractor prior to his/her bidding or ordering of materials. Harvey Industries, Inc., is responsible only for the items as quoted above. Any changes or addendums will be subject to a requote. We propose to supply the materials as described above, subject to the terms and conditions as required by our credit department. The prices are guaranteed for 30 days from the date of quotation unless otherwise noted. Delivery charges may apply and are not reflected on this quote. We appreciate the opportunity to quote this job. If you have any questions, please call your local warehouse.

SUBTOTAL:	\$991.05
TAX:	\$69.37
ORDER TOTAL:	\$1,060.42

CUSTOMER SIGNATURE _____ DATE _____




Scan with Smartphone to access installation instructions in HBP's Document Center

The best components for the best performance.

In keeping with traditional wood windows, Majesty windows withstand the elements and operate smoothly for a lifetime. Made in the USA, Majesty combines its impressive energy efficient glazing with a well-built, durable aluminum clad wood frame and sash – manufactured by folks who have been making windows for more than 50 years. That level of expertise is what sets Majesty apart; the perfect combination of state-of-the-art engineering, energy-saving value, and stylish elegance.

RECEIVED

JUL 14 2020



MAJESTY PREMIUM GLASS BURLINGTON
PERMITTING & INSPECTIONS

Majesty double hung windows come standard with our Premium glass, which incorporates two panes of glass, high-performance double Low-E coatings, stainless steel spacer system, and argon gas. This glass system meets the most stringent ENERGY STAR® requirements which will significantly enhance the comfort in your home and help save you money on your home energy costs.

